

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	512	(query with geographic)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:15
S7	70	S6 and "707"/.clas.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:17
S8	42	S7 and @ad<"20030530"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:18
S10	7	"896602".ap.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:54
S11	6	"896602".ap. and (geographic or location or locate or determin\$4 or store or database\$1 or keyword\$1 or match\$4 or result\$1 or perceivable or requestor or query or user\$1 or resolv\$4 or solicit\$4 or display\$4 or filter\$4 or sort\$4 or geocode \$1 or term\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:55
S9	3	"286187".ap. and (geographic or location or locate or determin\$4 or store or database\$1 or keyword\$1 or match\$4 or result\$1 or perceivable or requestor or query or user\$1 or resolv\$4 or solicit\$4 or display\$4 or filter\$4 or sort\$4 or geocode \$1 or term\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:55
S12	45566	search same (more with than with one result)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:44
S14	39793	(search with result\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:45

S13	0	search same (((more with than) with one) with result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:45
S16	10514	S14 and (determin\$4 with result\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:46
S15	0	S14 and (determin\$4 with result\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:46
S17	0	S16 and (more adj than)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:01
S19	6	"386228".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:02
S20	0	S19 and (disable or choose or override or overriding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:03
S18	0	"386228".ap. and (disable or choose or override or overriding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:03
S21	1	"279445".ap. and (disable or choose or override or overriding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:05
S22	1	"425098".ap. and (disable or choose or override or overriding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:11
S25	185	S24 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:13
S23	0	"896602".ap. and (disable or choose or override or overriding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:13

S28	13	"L16" and "707"/.das.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:15
S24	1549	search same (disable or override)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:15
S29	12	S28 and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:16
S30	4	search same (disable same override)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:18
S27	16	search same (disable and override)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:18
S32	0	S20 and "707"/.das.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:19
S31	3	S30 and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:19
S34	0	S26 and (overrid\$5 same disabl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:20
S33	0	S26 and (overrid\$5 with disabl \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:20
S26	134	S25 and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:26
S36	3	"334256".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:35

S35	52	S26 and disable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:35
S37	3	"448110".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:55
S38	3068845	predetermined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:50
S39	1630751	predetermined and (result\$1 or match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:53
S41	4921	S40 and (search adj engine \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
S40	583564	S39 and (geographic\$4 or location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
S43	299305	S42 and @ad< "20020101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 10:01
S42	457897	host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 10:01
S44	2	"20030061211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 10:30
S46	2	"6947935".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 10:33
S47	2	"20040139107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 11:04

S45	2	"20030204501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 11:04
S48	10627	(location\$1 with (cookie\$1 or cach\$1 or Cach\$3)) and @ad< "20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 12:12
S49	442	(location\$1 with (cookie\$1)) and @ad< "20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 12:13
S50	89	((location\$1 with (cookie \$1)) with (determin\$3 or decid\$3 or identif\$8)) and @ad< "20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 12:14
S51	2	"6523021".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/28 10:47
S52	1	"6523021".pn. and (cach\$1 or cach\$3 or keyword\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/28 10:49
S53	0	disabl\$3 with geocode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 11:45
S56	1	(disabl\$3 or over?rid\$3 or overrid\$3) same (geocode\$1 or geo?code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 11:46
S55	652	(geocode\$1 or geo?code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 11:46
S54	0	(disabl\$3 or over?rid\$3 or overrid\$3) with (geocode\$1 or geo?code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 11:46
S58	145	S57 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:29

S57	426	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:29
S6	227	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:36
S61	4987	(keyword or query) near4 (location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:37
S60	2291	S59 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:37
S4	149	S3 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:37
S59	9179	(keyword or query) with (location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:38
S62	1243	S61 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:40
S67	1983	(keyword or query) near5 (location) near5 (determin\$3 or identifi\$4 or find\$3 or search\$ or match\$3 or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:41
S64	1271	S63 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:41
S63	4328	(keyword or query) with (location) with (determin\$3 or identifi\$4 or find\$3 or search\$ or match\$3 or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:41
S69	1325	(keyword or query) near5 (location) near5 (determin\$3 or identifi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:42

S68	629	S67 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:42
S66	789	S65 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:42
S65	2981	(keyword or query) with (location) with (determin\$3 or identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:42
S70	412	S69 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:43
S71	201	S70 and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:53
S5	99	S4 and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 23:53
S1	1563429	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:14
S73	0	(data near5 from near5 kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:15
S74	4606	(data near5 kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:16
S72	0	(data near5 from near5 kernel) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:16
S77	2257	(data near3 kernel) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:17

S76	2257	S75 and @ad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:17
S75	3288	(data near3 kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:17
S78	2257	(data near3 kernel) and @ad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:18
S80	760	(data near1 kernel) and @ad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:30
S79	1628	(data near2 kernel) and @ad< "20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 00:30
S81	2	"20040260604"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:31
S2	3	"448110".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 16:31
S82	4	"448110".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 10:18
S83	2	"20030061211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 12:00
S86	119	S85 and @rlad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 21:29
S85	407	S84 and "707"/.das.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 21:29

S84	1100	(query with geographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 21:29
S87	26695196	((search\$3 or quer\$4) same (result\$1 or match\$3) same (geographic\$3 or location\$1 or address\$2 or place\$1 or (co?ordinate\$1 or coordinate \$1))) @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 21:40
S89	26680803	((search\$3 or quer\$4) near5 (result\$1 or match\$3)) same (geographic\$3 or location\$1 or address\$2 or place\$1 or (co?ordinate\$1 or coordinate \$1))) @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:26
S88	26684331	((search\$3 or quer\$4) with (result\$1 or match\$3)) same (geographic\$3 or location\$1 or address\$2 or place\$1 or (co?ordinate\$1 or coordinate \$1))) @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:26
S92	11181	((search\$3 or quer\$4) near4 (result\$1 or match\$3)) same (geographic\$3 or location\$1 or address\$2)) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:29
S91	13155	((search\$3 or quer\$4) near4 (result\$1 or match\$3)) same (geographic\$3 or location\$1 or address\$2 or place\$1)) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:29
S90	14130	((search\$3 or quer\$4) near5 (result\$1 or match\$3)) same (geographic\$3 or location\$1 or address\$2 or place\$1)) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:29
S93	3577	S92 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:30
S94	624	((search\$3 or quer\$4) near4 (result\$1 or match\$3)) same (geographic\$3)) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:31
S97	714	S96 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:32

S96	1404	((((search\$3 or quer\$4) near4 (result\$1 or match\$3)) with (one or single or only)) same (geographic\$3 or location\$1)) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:32
S95	2506	((((search\$3 or quer\$4) near4 (result\$1 or match\$3)) with (one or single or only)) same (geographic\$3 or location\$1 or address\$2)) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:32
S98	86	(((((search\$3 or quer\$4) near5 (result\$1 or match\$3)) with (only near2 one)) same (geographic\$3 or location\$1 or address\$2 or place\$1 or (co?ordinate\$1 or coordinate\$1)))) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 22:38
S100	13	S85 and @prad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 23:25
S99	119	S85 and @rlad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 23:25
S104	10	S102 and @prad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/01 01:28
S103	67	S102 and @rlad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/01 01:28
S102	227	S101 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/01 01:28
S101	574	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/01 01:28
S106	37400	S105 and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/01 02:36

S105	67824	search same (more with than with one result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/01 02:36
S107	1	"20020078036" and (only near2 one)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:58
S108	2	"20020129012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:58
S109	4	"197374".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 11:02
S111	2	"20030101182" and (readable or storage\$1 or product\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 11:03
S110	2	"20030101182" and (readable or storage\$1 or product\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 11:03
S112	2	"20020078036"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 11:19
S113	2	"20030061211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 11:40
L4	22	L3 and 707/3.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 15:43
L3	69	L2 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 15:43
L2	233	L1 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 15:43

L1	582	(keyword or query) with (geographic adj location)	US:PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 15:43
----	-----	------------------------------------------------------	----------------------------------------------------------------	----	-----	---------------------

3/ 11/ 2008 3:46:13 PM

C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-448-110__3.wsp